



CORNER STAY



INTERMEDIATE STRAINER ASSEMBLY

SHALL BE PROVIDED ON STRAIGHTS AT INTERVALS NOT EXCEEDING 300 METRES



SINGLE STRAINER ASSEMBLY

FOR USE AT GATEWAYS, ENDS, ANGLES, ETC.

NOTES

- POSTS & STAYS MAY BE GALVANIZED STEEL, HARDWOOD, TREATED PINE, REINFORCED OR PRESTRESSED CONCRETE.
- 2. GALV. STEEL STAYS MAY BE BOLTED TO GALV. STEEL POSTS.
- 3. FOR POST LENGTHS AND DROPPER SIZES REFER TO RELEVANT FENCE TYPE.
- 4. MAIN WIRES SHALL BE TIED WITH 2.5mm DIA GALV.WIRE OR STAPLED TO POSTS.
- 5. INSITU CONCRETE SHALL BE 20 MPα STRENGTH GRADE COMPLYING WITH THE REQUIREMENTS OF AS 1379/1991.

E				GENE
D				1. FEI
С				2. AL
В				
А	J.C.	1.7.95	GENERAL NOTE 2, NOTE 5, CORNER STAY REALIGNED	
AMEND.	Appd.	Date	AMENDMENTS	

NERAL NOTES / CROSS REFERENCES

SENCES SD 3101, SD 3111
SD 3112, SD 3131

ALL DIMENSIONS ARE IN MILLIMETRES

1, SD 3111 2, SD 3131 VIGCOCCI

DEPARTMENT

PRINCIPAL
ROAD DESIGN ENGINEER'S APPROVED

STANDARD DRAWING
FENCE
POSTS AND STAYS

APPROVED	DATE	SPEC.REF.No.	SHEET No	DRAWING No.	AMENDMEN
PRINCIPAL RD FNGIN	1.7.95 IFFR	707		SD 3161	Α